

Editor-In-Chief  
Dr. Ejembi John Onah, D.Sc

ISSN 1941-3475 (Online)  
Copyright 2009 Focus Nanotechnology Africa Inc. All rights reserved

## **Content**

Editorial	3
Editorial review: Nanofrontrunners, implications	4
Part 1: Proceedings	13
Gold Nanoparticles Conjugated with Folic Acid using Mercaptohexanol as the Linker A.Shakeri-Zadeh, H. Eshghi, G. A. Mansoori and A. R. Hashemian	13
Study of the Relationship between Nanoparticles of Silica and Thermoplastic Polymer (TPU) in Nanocomposites José Vega Baudrit , María Sibaja Ballesteró, José Miguel Martín Martínez	24
Single-cycle- infection Viral Vectors as Model Probes for Antiviral Screening, Potential Application in Nanomedicine, C.Esimone	35

## Editorial

This is part of Focus Nanotechnology Africa Inc. (FONAI) contribution to the academic, policy and industrial debates on nanoscience and nanotechnology; the study of matter at dimensions of 1-100 nm, which is considered as the greatest subject of all time that has the potential of revolutionizing every particle of all subjects, disciplines and endeavors. I would like to acknowledge the members of the editorial board who made this possible through their enormous contributions and all the authors along with our entire global network:

1. Dr. Harinder Missan, Professor, University of West Indies, Trinidad and Tobago, Caribbean
2. Dr. Malik Maaza, Professor, Ithemba Lab, Africa
3. Dr. David Hui, Professor, University of New Orleans, USA
4. Dr. Aldrin Sweeney, Professor, University of Central Florida, USA
5. Dr. El-Shall Samy, Professor, Virginia Commonwealth University, USA
6. Dr. Stanley Moffatt, Professor, Reagent University Accra, Africa
7. Dr. Ishenkumba Kahwa, Professor, University of West Indies, Caribbean,
8. Dr. Sogah D.Y. Professor, Cornell, USA
9. Dr. Helen Asemota, Professor, University of West Indies Jamaica and Shaw University, USA and Caribbean
10. Dr. Sossina Haile, Professor, CALTECH, USA
11. Mr. Paul Iwezulu, Manager/Attorney UK, Europe
12. Dr. Mansoori, Professor University of Illinois Chicago, USA
13. Dr. Lubomir Lapcik, Professor, Thomas Bata University, Czech, Europe
14. Dr. Ajibefun; Professor, Federal University of Technology Akure, Africa
15. Dr. G. Egharevba, Professor, Obafemi Awolowo University, Ife, Africa
16. Dr. Anil Chaudhary, Professor, University of Hyderabad, India
17. Dr. Nelson Ochekepe, Professor, University of Jos, Africa
18. Dr. José Vega Baudrit, Professor, National Laboratory of Nanotechnology, Costa Rica, South America
19. Dr. Jean Ebothe, Professor, University of Reims, France, Europe
20. Dr. Samuel Ugbolue, Professor, University of Massachusetts Dartmouth, USA
21. Dr. Yong Lak Jo, Professor, Cornell University, USA
22. Ex-Senate President, Ameh Ebutte, Africa
23. Dr. Zorkani Izzedine, Dhar Mehraz University, Morocco, Africa
24. Dr. Michael Adikwu, Professor UNN, Africa
25. Dr. David Wilson, Professor, Cornell University, USA
26. Dr. Omowunmi Sadik, Professor, University of Binghamton, USA
27. Dr. Eden Manut, Professor, Ovidius University, Constanza Romania, Europe
28. Dr. Benjamin Ezekoye, Professor, University of Nigeria, Nsukka, Africa
29. Dr. Charles Esimone, Professor, Nnamdi Azikiwe University, Awka, Africa
30. Dr. Anthony Attama, Professor, University of Nigeria, Nsukka, Africa
31. Dr. Mauricio Terrones, Professor, National Laboratory for Nanoscience and Nanotechnology, Mexico, South America
32. Dr. Fabian Ezema, Professor, University of Nigeria, Nsukka, Africa
33. Ex-Congressman Sherwood Boehlert, USA

Ejembi John Onah, D.Sc  
Founding President Focus Nanotechnology Africa Inc (FONAI), Ithaca NY USA,  
Chairman Steering Committee, USEACANI, CO-Chair-US-EU-Africa-Asia-Pacific and  
Caribbean Academy of Nanoscience and Nanotechnology (USEACANN) and Editor-In-  
Chief, Journal Nanotechnology Progress International (JONPI).  
P.O.Box 763, Ithaca NY 14851, USA  
Email: [Eonah@Fonai.org](mailto:Eonah@Fonai.org)

## **Editorial Review: Nano-frontrunners; implications**

### **Abstract**

It is expected that nanomarket will increase to about \$3.7 trillion in 2015 (Research and Markets, Dublin 2008). The sales for 2008 could be as high as \$200 billion according to the same Research Markets Dublin 2008. As a result of this potential in nanoscience and nanotechnology; every academia, country or government institution and private sector wants to be part of the race. Like any race; results are important as a measure of success and learning process for those that are not winning or that want to be included. Patent is very crucial as a measure of success by countries involved.

**Keywords:** Global nano, nanoprogress, nanopatent, ranking

**To read full text: Order now**

**Price: \$25**

# Gold Nanoparticles Conjugated with Folic Acid using Mercaptohexanol as the Linker


A. Shakeri-Zadeh, H. Eshghi, G. A. Mansoori<sup>(\*)</sup> and A. R. Hashemian

Departments of Bioengineering, University of Illinois at Chicago, Chicago, USA

(\*) Corresponding author email: [mansoori@uic.edu](mailto:mansoori@uic.edu)

## Abstract

Nano-conjugation (also known as nano-coupling) is one of the important procedures to build nanotechnology platforms. We have designed a new nano-conjugate made of folic acid and gold nanoparticle (AuNP). This nano-conjugate has application for selective targeting of the folate receptor that is overexpressed on the surface of tumor cells. For this purpose, we conjugated 6-mercapto-1-hexanol, as a bifunctional linker, to folic acid through its (-OH) group with a (-O-CO-) linkage formation. Then, we made new (-SH) terminated product to react with H<sub>Au</sub>Cl<sub>4</sub> in the presence of sodium borohydride and it was bound to the AuNP surface through its thiol group.



Finally, we evaluated the specific interaction between the folic acid and AuNP by the corresponding observed characteristic bands in the ultraviolet-visible (UV-vis) and Fourier transform infrared spectroscopy (FTIR) spectra. Transmission electron microscopic (TEM) images reveal the spherical AuNPs formation induced by the bifunctional linker. For such a new synthesized nanoconjugate, metallic pseudo-cubic structure ( $\alpha=\beta=\gamma=90^\circ$ ) with lattice constants of  $a=1.348$  nm,  $b=1.348$  nm, and  $c=0.725$  nm and (110), (011), (221), (321), (060), and (004) crystal planes were confirmed through powder X-ray diffraction. We estimated the average size of the conjugated nanoparticles to be about 3 nm by TEM. The Elemental analysis and atomic absorption showed around 70 % organic molecules on the surface of AuNPs. The procedure presented in this report may be applied to a variety of conjugations of interest in nanoscience and nanotechnology.

**Keywords:** 6-mercapto-1-hexano, Cancer Cell Targeting, Conjugated Nanoparticle, Folate, Folate Receptor, Folic Acid, Gold Nanoparticle, Nano-Conjugation, Nanotechnology

**To read full text: [Order now](#)**

**Price: \$25**

## **Study of the Relationship between Nanoparticles of Silica and Thermoplastic Polymer (TPU) in Nanocomposites**

José Vega Baudrit<sup>1,2</sup>, María Sibaja Ballester<sup>2</sup>, José Miguel Martín Martínez<sup>3</sup>

1. Laboratorio Nacional de Nanotecnología LANOTEC-CeNAT, Costa Rica

2. Laboratorio de Polímeros POLIUNA-UNA, Costa Rica

3. Laboratorio de Adhesión y Adhesivos, Universidad de Alicante, España

[jvegab@una.ac.cr](mailto:jvegab@una.ac.cr); [maria.sibaja@gmail.com](mailto:maria.sibaja@gmail.com); [jm.martin@ua.es](mailto:jm.martin@ua.es)

### **Abstract**

Nanosilicas with different silanol contents were obtained by treatment of hydrophilic fumed silica with dimethyldichlorosilane. This treatment reduced the silanol content and produced the particle agglomeration of the nanosilicas. Thermoplastic polyurethane (TPU) adhesives containing nanosilicas were prepared and characterized by FTIR spectroscopy, differential scanning calorimetry (DSC), plate-plate rheology, dynamic mechanical thermal analysis (DMTA) and transmission electron microscopy (TEM). It was demonstrated that addition of hydrophilic nanosilicas favored the degree of phase separation between the hard (i.e. isocyanate + chain extender) and soft (i.e. polyol) segments in the TPUs; the higher the silanol content on the surface of silica, the higher the degree of phase separation, and the crystallinity of the polyurethane (due to the soft segments) was also increased. Hydrogen bonds between the ester carbonyl groups in the TPU and the silanol groups on the silica surface were created and more favored by increasing the silanol content.

**Keywords:** silica, nanosilica, polyurethane, nanocomposites, and nanoparticle.

**To read full text: Order now**

**Price: \$25**

# **Single-cycle- infection Viral Vectors as Model Probes for Antiviral Screening, Potential Application in Nanomedicine**

*Charles O Esimone*

Pharmaceutical Microbiology and Biotechnology Research Unit  
Department of Pharmaceutics  
University of Nigeria, Nsukka, Enugu State, Nigeria  
E-mail: [coesimone@yahoo.com](mailto:coesimone@yahoo.com)

Presently at  
Department of Pharmaceutics  
Nnamdi Azikiwe University Awka, Nigeria

## **Abstract**

Alternative screening for nanomedicines applications, especially in the search for novel antiviral agents is very dire. Due to salient problems related with safety, speed, flexibility and cost associated with traditional antiviral screening techniques, alternative screening methods devoid of these limitations are constantly being sought for. Our approach has been largely based on the use of recombinant viral vectors expressing various reporter genes that could be diversely engineered to mimic the wild type parental virus as much as is required. To guarantee safety, the viral vectors are also engineered to undergo only a single replicating cycle. Using such recombinant single-cycle-infection viral vectors based on lentiviruses, retroviruses and adenoviruses as model probes, we have screened several medicinal plants for anti-HIV and anti-adenoviral properties.

**Keywords:** Viral vectors, probes, anti-HIV

**To read full text: Order now**  
**Price: \$25**